

全國公證測試報告

Applicant 申請廠商: **MAGICAL FILM ENTERPRISE CO., LTD.**
彩麗實業股份有限公司
No. 36, Lane 378,
Sec. 2, Youngsing Rd., Wuqi Dist.,
Taichung City 435, Taiwan, R.O.C.
台中市梧棲區永興路二段 378 巷 36 號

Number 報告號碼 : TWNC01085192
Date Issued : Jun 01, 2022
報告發行日期

Sample Description 樣品敘述:

One (1) Group of Submitted Samples Said To Be:

壹(一)件所送檢樣品據指為:

Name of Sample	: Plastic Wire
樣品名稱	全塑鼻樑條
Color	: White
顏色	白色
Material Composition	: PP.PE
成份	
Country of Origin	: Taiwan
原產地	台灣
Brand	: MAG
品牌	
Manufacturer	: 彩麗實業股份有限公司
製造廠商	MAGICAL FILM ENTERPRISE CO., LTD.
Date Sample Received	: May 25, 2022
樣品收到日期	
Date Test Started	: May 25, 2022
開始測試日期	

Test Conducted 測試內容:

Tests were conducted by applicant's request, for details please refer to attached pages.
依據客戶要求執行測試，結果請參考附頁。

Authorized By:
On behalf of Intertek Testing Services
Taiwan Limited

Carol Peng
General Manager



Signed by:

Thomas Chou
Manager

Page 1 of 10

Intertek Testing Services Taiwan Ltd.

8F., No. 423, Ruiguang Rd., Neihu District, Taipei 114690, Taiwan, R.O.C.

全國公證檢驗股份有限公司

114690 台北市內湖區瑞光路 423 號 8 樓

Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2405



Test Conducted 測試內容 :

Test Result Summary:

測試結果 :

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果	RL
			Submitted samples 送檢樣品	
Heavy Metal 重金屬				
Cadmium (Cd) Content 鎘含量	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013, 以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	2
Lead (Pb) Content 鉛含量	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013, 以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	2
Mercury (Hg) Content 汞含量	ppm	With reference to IEC 62321-4:2013+AMD1:2017, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-4:2013+AMD1:2017, 以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	2
Chromium VI (Cr ⁶⁺) Content 六價鉻含量	ppm	With reference to IEC 62321-7-2: 2017, organic solvent was used to dissolve or swell sample matrix, followed by alkaline digestion and determined by UV-Vis Spectrophotometer. 參考 IEC 62321-7-2:2017, 以有機溶劑溶解或使樣品基質膨脹, 再進行鹼液消化, 用紫外光-可見光分光光度計分析。	ND	8



Test Conducted 測試內容 :

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果	RL
			Submitted samples 送檢樣品	
Polybrominated Biphenyls 多溴聯苯 (PBBs)				
Monobrominated Biphenyls (MonoBB) 單溴聯苯	ppm	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015，以溶劑萃取並用氣相層析質譜儀分析，必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	ND	5
Dibrominated Biphenyls (DiBB) 二溴聯苯	ppm		ND	5
Tribrominated Biphenyls (TriBB) 三溴聯苯	ppm		ND	5
Tetrabrominated Biphenyls (TetraBB) 四溴聯苯	ppm		ND	5
Pentabrominated Biphenyls (PentaBB) 五溴聯苯	ppm		ND	5
Hexabrominated Biphenyls (HexaBB) 六溴聯苯	ppm		ND	5
Heptabrominated Biphenyls (HeptaBB) 七溴聯苯	ppm		ND	5
Octabrominated Biphenyls (OctaBB) 八溴聯苯	ppm		ND	5
Nonabrominated Biphenyls (NonaBB) 九溴聯苯	ppm		ND	5
Decabrominated Biphenyl (DecaBB) 十溴聯苯	ppm		ND	5



Test Conducted 測試內容 :

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果	RL
			Submitted samples 送檢樣品	
Polybrominated Diphenyl Ethers 多溴聯苯醚 (PBDEs)				
Monobrominated Diphenyl Ethers (MonoBDE) 單溴聯苯醚	ppm	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015，以溶劑萃取並用氣相層析質譜儀分析，必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	ND	5
Dibrominated Diphenyl Ethers (DiBDE) 二溴聯苯醚	ppm		ND	5
Tribrominated Diphenyl Ethers (TriBDE) 三溴聯苯醚	ppm		ND	5
Tetrabrominated Diphenyl Ethers (TetraBDE) 四溴聯苯醚	ppm		ND	5
Pentabrominated Diphenyl Ethers (PentaBDE) 五溴聯苯醚	ppm		ND	5
Hexabrominated Diphenyl Ethers (HexaBDE) 六溴聯苯醚	ppm		ND	5
Heptabrominated Diphenyl Ethers (HeptaBDE) 七溴聯苯醚	ppm		ND	5
Octabrominated Diphenyl Ethers (OctaBDE) 八溴聯苯醚	ppm		ND	5
Nonabrominated Diphenyl Ethers (NonaBDE) 九溴聯苯醚	ppm		ND	5
Decabrominated Diphenyl Ether (DecaBDE) 十溴聯苯醚	ppm		ND	5



Test Conducted 測試內容 :

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果	RL
			Submitted samples 送檢樣品	
Phthalates 鄰苯二甲酸酯				
Di-(2-ethylhexyl) Phthalate (DEHP) 鄰苯二甲酸二(2-乙基己基)酯	ppm	With reference to IEC 62321-8:2017, by solvent extraction and determined by GC-MS. 參考 IEC 62321-8:2017, 以溶劑萃取並用氣相層析質譜儀分析。	ND	50
Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯	ppm		ND	50
Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸苯基丁酯	ppm		ND	50
Diisobutyl Phthalate (DIBP) 鄰苯二甲酸二異丁酯	ppm		ND	50

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

備註: 百萬分之一, 依據測試樣品重量計算 = 毫克/公斤

ND = Not detected 未檢測出

RL = Reporting limit, quantitation limit of analyte in sample
報告極限, 測試樣品之定量偵測極限

Responsibility of Chemist: Melody Lee/ Vita Fu

分析人員: 李若芸/ 傅思潔

Date Sample Received

樣品收件日期 : May 25, 2022

Test Period

樣品測試期間 : May 25, 2022 to Jun 01, 2022



Test Conducted 測試內容 :

RoHS Limit

限值

<u>Restricted Substances</u> 限用物質	<u>Limits</u> 限值
Cadmium (Cd) content 鎘含量	0.01% (100 ppm)
Lead (Pb) content 鉛含量	0.1% (1000 ppm)
Mercury (Hg) content 汞含量	0.1% (1000 ppm)
Chromium VI (Cr ⁶⁺) content 六價鉻含量	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs) 多溴聯苯	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs) 多溴聯苯醚	0.1% (1000 ppm)
Di(2-ethylhexyl) Phthalate (DEHP) 鄰苯二甲酸二(2-乙基己基)酯	0.1% (1000 ppm)
Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯	0.1% (1000 ppm)
Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸苯基丁酯	0.1% (1000 ppm)
Diisobutyl Phthalate (DIBP) 鄰苯二甲酸二異丁酯	0.1% (1000 ppm)

The limits were quoted from Annex II of 2011/65/EU and Amendment (EU) 2015/863 for homogeneous material.
本限值是依據歐盟指令 2011/65/EU 及其更新指令(EU) 2015/863 之附錄二針對均質材質所訂定。



Test Conducted 測試內容 :

Measurement Flowchart:

測試流程圖:

Test for Cd/Pb/Hg/Chromium (VI)/PBBs/PBDEs Contents


六項測試: 鎘含量/鉛含量/汞含量/六價鉻含量/多溴聯苯/多溴聯苯醚

Reference Standard : Cd/Pb: IEC 62321-5:2013; Hg: IEC 62321-4:2013+AMD1:2017;

Chromium (VI): IEC 62321-7-2:2017; PBBs/PBDEs: IEC 62321-6:2015

參考方法: 鎘含量/鉛含量: IEC 62321-5:2013; 汞含量: IEC 62321-4:2013+AD1:2017

六價鉻含量: IEC 62321-7-2:2017; 多溴聯苯/多溴聯苯醚: IEC 62321-6:2015



Test Conducted 測試內容 :

Remark 備註:

*1: List of Appropriate Acid 各材質添加酸液如下表 :

Material 材質	Acid Added for Digestion 添加酸液種類
Polymers 聚合物	HNO ₃ , HCl, HF, H ₂ O ₂ , H ₃ BO ₃ 硝酸、鹽酸、氫氟酸、雙氧水、硼酸
Metals 金屬	HNO ₃ , HCl, HF 硝酸、鹽酸、氫氟酸
Electronics 電子產品	HNO ₃ , HCl, H ₂ O ₂ , HBF ₄ 硝酸、鹽酸、雙氧水、氟硼酸

*2: If sample solution is significantly more intense than 0.13 µg/cm² equivalent comparison standard, Chromium VI would be determined as detected, the result of visual observation is positive.

當待測樣品溶液顏色明顯比 0.13 µg/cm² 深，採用目測法判定六價鉻結果為陽性。





Test Conducted 測試內容 :

Measurement Flowchart 測試流程圖:

Test for Phthalates Content 鄰苯二甲酸酯測試

Reference Method 參考方法: IEC 62321-8:2017





- End of Report 結束 -

除另有明確之書面約定外，本公司對於所有工作及服務之履行均應依本公司營業條款之規範，前述營業條款之詳細內容請瀏覽本公司網站：<http://www.intertek-twn.com/terms/>。本公司所有義務與責任應以該營業條款中所規範者為限。本報告係完全根據委託人之指示及所提供之資訊和資料而作成，本公司不就測試樣本是否確為樣本來源之代表性樣本一事提供任何保證。本報告非為採取任何特定行動所提出之建議，對於委託人依據本報告結果所採取其認為合適之行為，應由委託人自行負責。本公司並無義務參考委託人指示以外之事實或情況，亦無義務就委託人指示以外之事實或情況提出報告；且於本報告作成後，就協議工作範圍以外所生之任何事情，本公司均無需對任何人負責。本報告無法豁免或免除委託人對任何第三人之法律責任和義務。委託人為唯一經本公司授權得複製或發佈本報告(須完整揭露)者，任何取得本報告並採信其內容之第三人，均應自行承擔風險。

報告符合性聲明：本測試服務若結果包含符合性聲明，係依據顧客、法規、標準之規範為判定規則，且不考慮量測不確定度。